

25th world gas conference "Gas: Sustaining Future Global Growth"

Enhancing LNG Facilities Compatibility CS9.1: PGCD

Richard Lammons, Chevron

Host

ASSOCIATIO

5 June 2012

Kuala Lumpur Convention Centre, Plenary Theatre





Host Sponsor







Enhance global ship-shore compatibility to enable a more flexible, reliable, safe and cost effective LNG transportation and delivery business.

- Present information on existing loading and receiving facilities compatibility with various carrier sizes and configurations.
- Develop recommendations for enhancing compatibility between the full range of LNG ships and exporting plants and receiving terminals.

- Organizations and Their Missions
- LNG Facility to Carrier Compatibility
- Operational Safety LNG Facility and Carriers
- LNG Carriers—Updates and Operations
- New Development in LNG Facilities
- Compatibility—The Future Challenges



- Associations provide a common venue to achieve operational excellence.
- Regulatory agencies allow the LNG industry to function safely, reliably and legally.
- Publications provide the framework for technical accuracy, reliable operations, and best practice applications.
- LNG industry would benefit from streamlining and coordinating access to compatibility data.

LNG Facility to Carrier Compatibility

- Marine Operational Limits
- Waterfront Systems
- LNG Storage Tank Capacity
- LNG Cargo Pumps, Transfer Rates, Vapour Return
- LNG Quality and BTU Management Options



Operational Safety

- LNG industry excellent safety record maintenance
 - Safety management systems and compatibility procedures
 - Compliance with International Ship and Port Facility and Security codes
 - Best practices and procedures
- Recommendations
 - Establish industry wide minimum training levels for operating positions
 - Widely disseminate LNG Best practices and procedures
 - Standardize format and develop common, accurate ship and terminal databases

Emergency Shutdown System





Powered Emergency Release Coupling (PERC) Quick Connect / Disconnect Coupling (QCDC)

QCDC Connection with Ship's Manifold





LNG Carriers—Updates and Operations

Compatibility Challenges

- Approaching the terminal
- Mooring and berthing
- Connecting of the loading arms
- Loading/unloading operations
- Disconnecting
- Departure



IGU

New Developments in LNG Facilities

Floating Solutions:

- Floating LNG facilities (FLNG)
- Floating Storage Regas Units (FSRU)
- Floating Storage Unit (FSU)
- LNG Regasification Vessel (LNGRV)
- Floating Regasification Unit (FRU)

Fixed Offshore Solutions:

Gravity Based Structure (GBS)











- Goals of LNG facility and ship owners vary according to their respective business drivers and business models
- Recognize the single function LNG facility is no longer the norm
- Response to compatibility at the global level
- Striking the right global compatibility balance

Enhancing LNG Facilities Compatibility



Study Group D1

ChairmanJean-Yves Capelle, TotalCo-ChairmanRichard Lammons, ChevronSecretarySander Lemmers, Vopak

Members Azam Al-Mannai, Qatargas Simon Frost, Repsol Eric Gerard, Gdf-Suez Luis Gorospe, Repsol

Thanks also Jeroen de Groot, Shell Throne Hongladaromp, PTT Alfred Redlich, OMV Captain Craig Jackson, SIGTTO Wouter Meiring, Shell Yoichi Mori, Tokyo Gas Krzysztof Piecuch, PGNIG